













## NOVUS MY one

elegant monitor holder set with height infinitely adjustable support carriage  
 set of MY base and MY fix - simple, efficient and elegant  
 available with system clamp, drilling screw fitting, cable port attachment, system rail mounting, SlatWall adaption or wall rail  
 suitable for VESA mounting standard 75/100  
 mounting of flat screens up to 6 kg  
 height: 50 mm  
 swivelling and tiltable for mobility in confined spaces  
 available in length: 350 mm  
 supplied with cable clips \*MY base SW/W without cable clips  
 combinable with NOVUS MY tab and NOVUS Quick Release



Version			Art.No.	EAN Code
		silver	910+1019+000	4009729052099
		silver	910+1049+000	4009729052105
		silver	910+1059+000	4009729052112
		silver	910+1069+000	4009729052129
		silver	910+1079+000	4009729053454
		silver	910+1089+000	4009729053461



Length: 350 mm



The weight shows the load the product is allowed to carry.



The mounting can be turned to either side and has the mentioned reach in mm.



The adapter plate permits the straightforward attachment of all monitors with the standard 75 or 100 mount.



When used conventional.



The quality statement „German Engineering“ ensures that a product was developed according to German quality standards by our engineering experts. All Novus products carrying the „German Engineering by Novus“ signet are manufactured in our own plants around the world by our own workforce, managed and supervised by our headquarters in Germany.

NOVUS MY one



NOVUS MY one



NOVUS MY one

